Product datasheet

OSRAM

ORIGINAL LINE H19

Original spare part





The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Product datasheet

Technical data

Product information

Order reference	64181L	
Application (Category and Product specific)	Halogen headlight lamp	

Electrical data


Power input	72 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	60/55 W
Test voltage	13.2 V

¹⁾ Maximum

Photometrical data

Luminous flux	1750 lm
Luminous flux tolerance	±10 %

Dimensions & weight



Diameter	13.0 mm
Product weight	20.90 g
Length	82.0 mm

Lifespan

Lifespan B3	300 / 800 h
Lifespan Tc	600 / 1600 h

Additional product data

Base (standard designation)	PU43t-3
-----------------------------	---------

Product datasheet

Capabilities

Technology	HAL

Certificates & standards

Country specific categorizations

|--|

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899599017	ORIGINAL LINE H19	Folding carton box 1	47 mm x 47 mm x 71 mm	0.16 dm ³	33.90 g
4052899599024	ORIGINAL LINE H19	Bundle 10	- x - x -		
4052899599031	ORIGINAL LINE H19	Shipping carton box 100	485 mm x 250 mm x 160 mm	19.40 dm³	3673.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

















