

dimensions:	133x107x112	Ø117x74	100x100x76
maximum power:	40W	32W	20W
rated voltage:	12÷24V DC		12÷48V DC
permissible voltage:	10,5÷30V DC		10,5÷60V DC
current at 13,2V:	3A	2,4A	1,6A
current at 28V:	1,5A	1,3A	0,7A
maximum current:	4A	2,4A	2A
colour of light:	dark blue		
beam:	spot		
beam angle:	4°, 6°		
IP rating:	IP67, IP69K		
work temperature:	-40°C ÷ 80°C		
housing's material:	aluminium		
lens' material:	glass, plastic		
corrosion resistance:	ISO 9227, 500h		
vibration resistance:	15,3G 24÷2000Hz		
EMC Class CISPR 25:	III	V	III
built-in connectors:	Deutsch DT, AMP SuperSeal 1,5		
other:	protection: - against overheating - against reverse polarisation		



Especially recommended for sprayers used in agriculture. They provide control of spraying at dusk and at night by observing the operation of individual nozzles.

The blue color of the light helps to better observe the sprayed liquid stream.

The lamps comply with EMC Directive 2004/108/EC.

They do not emit electromagnetic interference as well as they are resistant to it's influence.

Correct polarity required.

Mounting: as a freestanding on body panels.



They can be installed in any position (standing, hanging, on side).

It is possible to install needed connectors for a version with cable (on request).

Useful parts while installing:

AMP SuperSeal 1,5 plug 2-pin - cat. No. A.07137

Deutsch plug DT06-2S 2-pin - cat. No. A.07135



Cat. number	Shape	rectangular	round	square	The light colour	dark blue	Beam angle	4°	6°	Rated power	40W	32W	20W	Lens material	glass	plastic	IP rating	IP67	IP69K	Accessories	LED module 12V-24V	LED module 12V-48V	cable 0,5 m	cable 2,5 m	cable 3 m	SuperSeal 2S Plug	stone guard	Connectors	Deutsch DT	AMP SuperSeal 1,5	Cap / Pin	Packaging / pc	carton box
CRP3S.60708		✓				✓		✓			✓				✓			✓	✓		✓								✓		2	1	1
CRP3S.60720		✓				✓		✓			✓				✓			✓	✓		✓									✓	2	1	1
CRP3S.60721		✓				✓		✓			✓				✓			✓	✓		✓					✓				✓	2	1	2
CRC3S.54507			✓			✓		✓				✓				✓		✓	✓		✓					✓				✓	2	1	1
CRC3S.54510			✓			✓		✓				✓				✓		✓	✓		✓			✓					✓	2	1	1	
CRC3S.54508			✓			✓		✓				✓				✓		✓	✓		✓			✓					✓	2	1	1	
CRC3S.54509			✓			✓		✓				✓				✓		✓	✓		✓					✓				✓	2	2	1
LEDS.58900				✓		✓			✓				✓			✓		✓	✓		✓	✓	✓										1
LEDS.58907				✓		✓			✓				✓			✓		✓	✓										✓		2	1	1
LEDS.58908				✓		✓			✓				✓			✓		✓	✓		✓									✓	2	1	1