

NIGHT BREAKER LED W5W

OSRAM's first NIGHT BREAKER W5W LED for use in all 1) 12V vehicle models behind white glass





Universal Polarity & Plug and Play

Installation independent of polarity possible. Quick and easy upgrade to LED technology with plug & play solution



Up to 5 times longer lifetime3) Environmentally friendly and cost-efficient



4 Year OSRAM Guarantee4)

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.



The NIGHT BREAKER LED W5W - OSRAM's first LED retrofit lamp approved for all1) 12V vehicles in white light applications.

Product datasheet



An innovation and revolution from OSRAM in the field of technology and design.

With the NIGHT BREAKER W5W-LED, OSRAM's first street legal1) W5W-LED replacement lamp is now on the market, which is approved for use in all1) 12V vehicle models behind white glass as a parking light, position light, marker light, license plate light and interior light. This is the first lamp from OSRAM does not require to compare and match the headlamp approval number with a compatibility list. In combination with the NIGHT BREAKER H7-LED, H4-LED or H1-LED you can now get the full LED upgrade for your vehicle with perfectly tailored and designed LED lamps - for exterior and interior applications. These LED replacement lamps are suitable as a replacement for conventional W5W lamps and bases. They offer a modern and intense white light with a color temperature up to 5700 Kelvin and a light output of up to 50 lm. In comparison to standard lamps, these LED retrofit lamps consume up to 80% less energy. With the plug & play solution and the universal polarity they can be installed quickly and easily and regardless of polarity. You can now replace your vehicle lamps with OSRAM's revolutionary NIGHT BREAKER LED retrofit lamps and experience trend-setting brightness. Additionally, OSRAM offers a dedicated guarantee on all NIGHT BREAKER LED retrofit lamps2)

Technical data

Product information

| Product legal advice 1 | 1)Approved LED light source - only applies to the respective countries in which there is approval or to which an equivalent approval applies and the vehicle models and light functions currently listed in the compatibility list. For more details see www.osram.com/nb-led |
|---|--|
| Product legal advice 2 | For precise conditions please refer to: www.osram.com/am-guarantee |
| Order reference | 2825DWNB |
| Application (Category and Product specific) | Position light, Interior light |


Electrical data

| Power input | 1 W |
|-----------------------|--------|
| Test voltage | 13.2 V |
| Power input tolerance | ±25 % |
| Nominal wattage | 1.00 W |
| Nominal voltage | 12.0 V |

Photometrical data

| Color temperature | 5700 К |
|-------------------------|------------|
| Luminous flux | 50 lm |
| Luminous flux tolerance | ±25 % |
| Light color LED | Cool white |

Dimensions & weight



| Product weight | 1.70 g |
|----------------|---------|
| Length | 24.6 mm |
| Diameter | 10.3 mm |

Product datasheet

Lifespan

| Lifespan Tc | 3000 h | |
|----------------------------------|-----------|--|
| Lifespan B3 | 1500 h | |
| Additional product data | | |
| Base (standard designation) | W2.1x9.5d | |
| Capabilities | | |
| Technology | LED | |
| Certificates & standards | | |
| Standards | ABG | |
| Country specific categorizations | | |
| Order reference | 2825DWNB | |
| | | |

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh) | | |
|---|-------------------------------|--|
| Date of Declaration | 08-03-2024 | |
| Primary Article Identifier | 4062172367448 4062172367424 | |
| Declaration No. in SCIP database | In work | |

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|--------------------------|---------------------------------|---|----------------------|--------------|
| 4062172367424 | NIGHT BREAKER W5W LED | HFB 2 | 80 mm x 30 mm x 96 mm | 0.23 dm ³ | 14.00 g |
| 4062172367431 | NIGHT BREAKER W5W LED | Shipping carton box 10 | 159 mm x 89 mm x 106 mm | 1.50 dm³ | 98.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

| | File |
|---|---------------------------------------|
| 1 | User instruction NIGHT BREAKER LED |

Product datasheet



Brochures LEDriving Retrofits - Exchange overview (EN)

Safety advice

Application advice: For more detailed application information and graphics please see product datasheet and user manual.

Legal advice

1) Approved LED light source applies to all vehicle models to specific light functions and further restrictions in therespective country. Must not be used behind red and/or yellow colored glass.For more details see www.osram.com/nb-led2)In comparison to the minimum requirements of ECE R1123) In comparison to traditional lamps 4) For precise conditions please refer to:www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

42

