OSRAM

ORIGINAL LINE H13

Original spare part





The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Technical data

Product information

Order reference	64178
Application (Category and Product specific)	Halogen headlight lamp

Electrical data


Power input	75 / 68 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	60/55 W
Test voltage	13.2 V

¹⁾ Maximum

Photometrical data

Luminous flux	1000 lm	
Luminous flux tolerance	±15 / ±15 %	

Dimensions & weight





Diameter	17.0 mm
Product weight	33.00 g
Length	93.0 mm

Lifespan

Lifespan B3	170 / 1290 h ¹⁾
Lifespan Tc	350 / 2590 h ¹⁾

¹⁾ Filament 1 / Filament 2

Additional product data

Base (standard designation)	P26.4t

Capabilities

Technology	HAL

Certificates & standards

ECE category H13	13
------------------	----

Country specific categorizations

Order reference	64178

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321939401	OSRA9008	-	-	-
4052899269439	OSRA9008	-	-	-
4008321939401	OSRA9008	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321939401	ORIGINAL LINE H13	Folding carton box 1	47 mm x 47 mm x 107 mm	0.24 dm ³	33.00 g
4052899269439	ORIGINAL LINE H13	Bundle 10	- x - x -		
4052899269446	ORIGINAL LINE H13	Shipping carton box 200	486 mm x 246 mm x 227 mm	27.14 dm³	6905.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File
360 Degree Image ORIGINAL H13 9008

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

















OSRAM