

# AirZing Mini



## Eliminates viruses and bacteria

Can effectively remove harmful virus, bacteria in the car, up to 99%\*Can effectively remove formaldehyde, TVOC and odors in the car, up to 90%\*



## UV LED

UV-A light reacts with the titanium dioxide plate and creates a photonic-catalytic reaction that cleans the air in the vehicle.



## Titanium Dioxide filter

Filters odors out of the air. Additionally, it has an antibacterial effect and is effective against certain viruses and fungi\*



## OSRAM AirZing Mini Air Purifier

OSRAMs AirZing Mini is an innovative solution to help purify the air within vehicles. Using OSRAM's extensive knowledge around UV light the AirZing Mini draws in air and passes it over a Titanium Dioxide plate that combines with UV-A light to produce a photonic-catalytic reaction. This reaction removes harmful bacteria and viruses from the air. The purification process can also eliminate odors and bad smells leaving drivers with clean fresh air. The Titanium Dioxide plate can be taken out and washed and then replaced for low level maintenance and no need to continually buy and replace filters. Designed specifically for use within a vehicle the AirZing Mini comes with magnetic vent clips for flexible mounting positions. The USB-C supplied power cable power supply secure fitment whilst driving.\*Verified by independent laboratory testing in accordance with GB/T 18801-2015

# Product datasheet

## Technical data


### Product information

|               |                               |
|---------------|-------------------------------|
| Air Flow Rate | 6.5 m³                        |
| Number of LED | 11                            |
| Filter Type   | Nickel with Nano Coating TiO2 |

### Electrical data

|                 |            |
|-----------------|------------|
| Nominal wattage | 2.00 W     |
| Nominal voltage | 5.0 V      |
| Power Source    | USB Type C |

### Dimensions & weight



|        |         |
|--------|---------|
| Length | 80.0 mm |
| Width  | 80.0 mm |
| Height | 50.0 mm |

### Additional product data

|                  |        |
|------------------|--------|
| Noise Level (dB) | <25 dB |
|------------------|--------|

## Logistical Data

| Product code  | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume   | Gross weight |
|---------------|---------------------|------------------------------|--------------------------------------|----------|--------------|
| 4062172173988 | AirZing Mini        | Folding carton box<br>1      | 124 mm x 106 mm x 71 mm              | 0.93 dm³ | 156.00 g     |
| 4062172173995 | AirZing Mini        | Shipping carton box<br>4     | 263 mm x 220 mm x 77 mm              | 4.46 dm³ | 764.00 g     |
| 4062172176415 | AirZing Mini        | Shipping carton box<br>32    | - x - x -                            |          |              |

## Product datasheet

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Application advice:

For more detailed application information and graphics please see product datasheet.

\*Verified by independent laboratory testing in accordance with GB/T 18801-2015

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

The OSRAM logo is displayed in a bold, orange, sans-serif font.