

LEDinspect SLIMLINE 250

LED inspection lights for privat use



250 lm + 30 lm

Main light with 250 lumen and torch light with 30 lumen



Equipped with 15+2 high-quality, long-lasting LEDs

High-power LEDs for long-lasting comfortable light output



Rechargeable 3.7 V 2,600 mAh Li-ion battery

Easy charge via USB port & DC/AC (with charging cable)



Illuminating hard to reach areas

LEDinspect SLIMLINE 250 provides an excellent illumination thanks to long-lasting high intensity LEDs. It is suitable for all types of inspection and maintenance of vehicles at home. The luminaire offers two light settings - main intense light with up to 250 lumen and torch light with up to 30 lumen. Very practical: The ultra slim inspection luminaire comes with a rechargeable battery. OSRAM offers a 2 year guarantee for this product.

Product datasheet

Technical data

Product information

Order reference	LEDIL206
Application (Category and Product specific)	LED inspection lights for personal use


Electrical data

Nominal wattage	5.00 W
Nominal voltage	3.7 V

Photometrical data

Color temperature	6000 K
Luminous flux	250 lm
Light color LED	White

Dimensions & weight



Product weight	232.00 g
Length	320.0 mm
Width	38.0 mm
Height	28.0 mm

Colors & materials

Base color	Black
------------	-------

Lifespan

Guarantee	3 years
-----------	---------

Additional product data

Type of Battery	rechargeable
-----------------	--------------

Product datasheet

Number of included batteries	n.a.
Scope of battery	Yes
Battery	Li-ion Polymer Battery Model

Capabilities

Technology	LED
------------	-----

Certificates & standards

Type of protection	IP20
Standards	CE

Country specific categorizations

Order reference	LEDIL206
-----------------	----------

Logistical data

PCHL Watt hour per battery [MPRD]	9.62
-----------------------------------	------

Equipment / Accessories




- Charging cable included

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899424999	LEDinspect SLIMLINE 250	Blister 1	181 mm x 401 mm x 35 mm	2.54 dm ³	357.00 g
4052899425002	LEDinspect SLIMLINE 250	Shipping carton box 4	195 mm x 162 mm x 418 mm	13.20 dm ³	1663.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	User instruction LEDinspect SLIMLINE 250 LEDIL206 User manual
	Movie application Image Film LEDinspect (EN)
	Movie application Image Film LEDinspect Family (EN)

Product datasheet

References / Links

Guarantee terms are available at www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

The OSRAM logo is displayed in a bold, orange, sans-serif font.