

# LEDinspect POCKET 160

LED inspection lights for privat use



**160 lm + 75 lm**

Main light with 160 lumen and LED pointer with 75 lumen



**Equipped with 5 high-quality LEDs**

More light output



**Rechargeable 3.7 V 1,500 mAh Li-ion battery**

Easy charge via USB port & DC/AC (with charging cable)



### User-friendly compact size

With the LEDinspect POCKET 160, OSRAM offers a rechargeable LED inspection luminaire in compact pocket size. This user-friendly inspection light comes with two lighting settings – main light with up to 160 lumen and torch light with up to 75 lumen. The color temperature of the main light achieves up to 7,500 Kelvin! Thanks to strong magnet and 180° angle stand you can keep your hands free while working on your car. OSRAM provides a 2 year guarantee for this product.

# Product datasheet

## Technical data

### Product information

Order reference	LEDIL204
Application (Category and Product specific)	LED inspection lights for personal use


### Electrical data

Nominal wattage	2.00 W
Nominal voltage	3.7 V

### Photometrical data

Color temperature	6000 K
Luminous flux	160 lm
Light color LED	White

### Dimensions & weight



Product weight	233.00 g
Length	127.0 mm
Width	63.0 mm
Height	34.0 mm

### Colors & materials

Base color	Black
------------	-------

### Lifespan

Guarantee	3 years
-----------	---------

### Additional product data

Type of Battery	rechargeable
-----------------	--------------

## Product datasheet

Number of included batteries	n.a.
Scope of battery	Yes
Battery	Li-ion Polymer Battery Model

### Capabilities

Technology	LED
------------	-----

### Certificates & standards

Type of protection	IP44
Standards	CE

### Country specific categorizations

Order reference	LEDIL204
-----------------	----------

### Logistical data




PCHL Watt hour per battery [MPRD]	5.55
-----------------------------------	------

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899424975	LEDinspect POCKET 160	Blister 1	181 mm x 286 mm x 42 mm	2.17 dm <sup>3</sup>	286.20 g
4052899424982	LEDinspect POCKET 160	Shipping carton box 4	195 mm x 162 mm x 305 mm	9.63 dm <sup>3</sup>	1331.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File
 User instruction LEDinspect POCKET 160 LEDIL204 User manual
 Movie application Image Film LEDinspect (EN)
 Movie application Image Film LEDinspect Family (EN)

### References / Links

Guarantee terms are available at [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

## Product datasheet

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

The OSRAM logo is displayed in a bold, orange, sans-serif font.