

LEDinspect FLASHLIGHT 15

LED inspection lights for privat use



15 lm

A powerful light for every usage with 15 lumen



Equipped with 5 high-quality LEDs

More light output



Rechargeable 3.6 V 80 mAh Ni-Mh battery

Charge via your car's 12 V cigarette lighter



Designed to fit

The LEDinspect FLASHLIGHT 15 inspection light impresses with its combination of the small and compact design and the excellent illumination. Its long-lasting high intensity LEDs provide a white, intense light with up to 7,500 Kelvin. Especially practical: The FLASHLIGHT 15 can be easily charged via the 12 volt cigarette lighter. OSRAM offers a 2 year guarantee for this product. Available in black (LEDIL205) and pink (LEDIL205-PK) design.

Product datasheet

Technical data

Product information

Order reference	LEDIL205
Application (Category and Product specific)	LED inspection lights for personal use


Electrical data

Nominal wattage	2.00 W
Nominal voltage	NaN V

Photometrical data

Color temperature	6000 K
Luminous flux	15 lm
Light color LED	White

Dimensions & weight



Product weight	36.00 g
Length	0.0 mm
Height	61.0 mm

Colors & materials

Base color	Black
------------	-------

Lifespan

Guarantee	3 years
-----------	---------

Additional product data

Connector to lamp	Cigarette Lighter
Number of included batteries	0

Product datasheet

Scope of battery	Yes
------------------	-----

Capabilities

Technology	LED
------------	-----

Certificates & standards

Type of protection	IP20
Standards	CE

Country specific categorizations

Order reference	LEDIL205
-----------------	----------

Logistical data




PCHL Watt hour per battery [MPRD]	0.30
-----------------------------------	------

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899424951	LEDinspect FLASHLIGHT 15	Blister 1	124 mm x 84 mm x 33 mm	0.34 dm ³	51.00 g
4052899424968	LEDinspect FLASHLIGHT 15	Shipping carton box 10	210 mm x 130 mm x 148 mm	4.04 dm ³	612.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File
 User instruction LEDinspect FLASHLIGHT 15 LEDIL205 User manual
 Movie application Image Film LEDinspect (EN)
 Movie application Image Film LEDinspect Family (EN)

References / Links

Guarantee terms are available at www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM